

computing_functional_joints_manually_from_the_post_processing_interface._model_builder_post_processing_after_accumulating_and_defining_the_landmarks_select_the_model_builder_post_process_icon_on_the_toolbar_modelbuildericons.jpg_add_a_new_motion_file_containing_the_functional_movements_it_is_possible_to_specify_that_a_file_already_open_in_the_workspace_can_be_used_for_the_functional_movement_or_to_load_a_c3d_file_from_disk._note_that_more_than_one_file_can_be_added_to_the_list_but_each_landmark_may_only_be_assigned_to_one_movement_trial._functionaljoints1.jpg_note_that_this_landmark_was_created_with_an_event_sequence_defining_the_range_of_frames_of_the_motion_trial_to_use._alternatively_the_can_select_a_start_frame_and_an_end_frame_for_each_landmark._the_buttons_set_start_event_to_current_frame_and_set_start_event_to_current_frame_allow_the_user_to_play_the_animation_of_the_movement_trial_and_press_the_buttons_at_the_appropriate_frames._after_loading_the_movement_trials_they_will_appear_in_the_bottom_list_box._functionaljoints2.jpg_select_a_functional_landmark_functionaljoints3.jpg_select_the_motion_trial_functionaljoints4.jpg_select_the_check_box_for_the_functional_joint_select_the_button_to_compute_the_checked_landmark._functionaljoints5.jpg_processing_results_functionaljoints6.jpg_the_processing_results_from_a_functional_will_appear_as_above._first_the_name_and_parameters_that_were_specified_then_a_series_of_intermediate_steps_in_the_algorithm_in_visual3d_that_most_people_can_safely_ignore_when_there_are_no_errors}}}}}}}}}}}}}}

From:
<https://has-motion.com/wiki/> - **Wiki Documentation Site**

Permanent link:
https://has-motion.com/wiki/doku.php?id=visual3d:documentation:modeling:functional_joints:functional_joints_post_processing&rev=1718801309

Last update: **2024/06/19 12:48**

