Event Commands Overview

Event Creation

Automatic_Gait_Events

Gait events are created automatically based on forces assigned to segments.

Event_Define_Event_Sequence

Define an Event_Sequence. This is a far more flexible way to define an Event_Sequence

Event_Between

Event Between

Create an event within an event_sequence. In other words create an event that is between the first and last event in the event_sequence.

Event_Explicit

Place an Event Label at an explicit frame number, or at a the nearest frame to a specified time. You can specify either a Frame or a Time but not both.

Event_Global_Maximum

Specify an Event Label(s) at the Global Maximum of a signal.

Event_Global_Minimum

Specify an Event Label(s) at the Global Minimum of a signal.

Event_Import_From_Orthotrak

Import events created by Orthotrak

Event_Maximum

Event Maximum

Event_Minimum

Event Minimum

Event_Onset

Event Onset

Create an Event Label using two Threshold crossings and a local minimum.

Event_Save_TPR_Signal

Event TPR Signal

Event_Threshold

Event Threshold

Place an event label at the frame where a signal crosses a specified value.

Event_TPR_File

Event TPR File

Event_TPR_Signal

Event TPR Signal

Event Management

Event Management Overview

Event_Delete

Event Delete

Event_Copy

Event Copy

Event_Rename

Event Rename

Event_Modify

Event Modify

From:
https://has-motion.com/wiki/ - **Wiki Documentation Site**

Permanent link:
https://has-motion.com/wiki/doku.php?id=visual3d:documentation:pipeline:event_commands:event_commands_overview&rev=1727478957

Last update: **2024/09/27 23:15**