

Modify_C3D_Subjects_Parameters

Modify the parameters in the SUBJECTS group in the c3d file.

```
Modify_C3D_Subjects_Parameters
```

```
! /USED=  
! /IS_STATIC=  
! /USES_PREFIXES=  
! /NAMES=  
! /LABEL_PREFIXES=  
! /MARKER_SETS=  
! /DISPLAY_SETS=  
! /MODELS=  
! /MODEL_PARAMS=  
! /OVERWRITE_C3D_FILE=FALSE  
;
```

The screenshot shows a dialog box titled "Modify C3D SUBJECTS Parameter" with a close button (X) in the top right corner. Inside the dialog, there is a button labeled "Get Parameters from Current C3D File". Below this button is a group box containing three unchecked checkboxes: "Update C3D file on disk automatically", "Is Static", and "Use Prefixes". Below the group box is a section with a "Name" label, a dropdown menu, and two buttons labeled "Add" and "Delete". Below this is another group box containing five input fields with labels: "Prefix", "Marker Set", "Display Set", "Model", and "Model Params". At the bottom of the dialog are two buttons labeled "OK" and "Cancel".

[Back to Pipeline Commands Reference](#)

From:
<https://has-motion.com/wiki/> - Wiki Documentation Site

Permanent link:
https://has-motion.com/wiki/doku.php?id=visual3d:documentation:pipeline:file_commands:modify_c3d_subjects_parameters&rev=1721229057

Last update: **2024/07/17 15:10**

